



## *Bio-invasions: Breaching Natural Barriers*

A Washington Sea Grant Program Publication  
University of Washington, Seattle

Washington Sea Grant Program  
Office of Marine Environmental and Resource  
Programs  
College of Ocean and Fishery Sciences  
University of Washington  
3719 Brooklyn Avenue N.E.  
Seattle, WA 98105-671 6,  
206-543-6600  
206-685-0380 fax  
seagrant@u.washington.edu  
<http://www.wsg.washington.edu>

© 1 998, University of Washington

Produced by:  
Washington Sea Grant Program

Janet M. Moore, marine specialist; Nancy  
Lerner, project manager; Nancy Blanton,  
managing editor; Victoria Loe, graphic de-  
signer. Cover illustration by Lydia Hess.  
Species illustrations by Sandra Noel.

A publication of the University of  
Washington pursuant to National Oceanic  
and Atmospheric Administration Award No.  
NA76RGO119. The views expressed herein  
are those of the authors and do not  
necessarily reflect the views of NOAA or any  
of its sub-agencies.

The University of Washington does not dis-  
criminate against individuals because of race,  
color, religion, creed, age, national origin,  
sex, sexual orientation, handicap, or status as  
a disabled veteran or Vietnam era veteran.  
This policy applies to all University programs  
and faculties, including but not limited to  
admissions, educational programs and  
employment. Such discrimination is  
prohibited by Titles VI and VII of the Civil  
Rights Act of 1 964, Title IX of the Education  
Amendments of 1972, Sections 503 and 504  
of the Rehabilitation Act of 1 973, Age  
Discrimination in Employment Act  
Amendments of 1978, and other federal and  
state statutes and regulations.

WSG 98-01 Printed on recycled paper.



## Contents

### 4

The threat of non-native organisms  
What is “native”?  
Species interactions in natural systems  
Natural distribution  
Agricultural introductions: A historian's perspective

### 5

Introduced species  
Zebra mussel

### 6

Pathways  
Green crab

### 7

Characteristics of bio-invasions

### 8

Habitat alteration: putting out the welcome mat  
Homogenization: a species-poor world

### 9

What can you do?

### 10

Non-native aquatic species in Washington state and British Columbia

### 11

Pathways of non-native aquatic species introduction

### 12

Policy response to non-native aquatic introductions

### 15

Glossary

### 16

Further reading


### 17

For more information

# ***Bio-invasions: Breaching Natural Barriers***


It's a bright sunny afternoon on the Columbia River estuary. Jeff Cordell, University of Washington fisheries researcher collects water samples just as he has dozens of times before. For the past 13 years, he's been studying tiny crustaceans in the water column-important food resources for juvenile salmon. This trip is pretty routine. Or so he thought. Back in the lab examining the samples, Jeff sees something he's never seen before. An unfamiliar creature with an unusual appearance. There are lots of them. What are they? And where did they come from?

**Asian copepod, *Pseudodiaptomus inopinatus***




Dick Sheldon stares out at miles of flowing green grass edging the flat blue water of Willapa Bay. As an oyster grower and concerned citizen, he shakes his fist at the grass, loved by others in far off places, but hated by him. He has seen what the Grass has done. It moves in, blankets the mud flats, changes the coastline and devalues his land as it spreads each year, acre by acre. And because it is listed as a noxious weed, he may be responsible for controlling it. Giving away some of his property to the county has become an attractive option. How did the grass get here? And who is going to stop its spread:

**Atlantic smooth cordgrass, *Spartina alterniflora***



An uncommonly adaptable creature, it can tolerate both fresh and sea water. Known to dine on over 150 different kinds of plants and animals, it isn't a picky eater. It especially likes young clams and crabs. Females lay up to 200,000 eggs at a time. It can withstand freezing temperatures and can live in a variety of tidal habitats. Its larval form may travel well in cargo ship ballast water. Originally from western Europe, it now lives in the eastern United States, South Africa, Australia and California. It was recently seen in Oregon. It seems to be moving north. What will happen if it gets to the Pacific Northwest estuaries?

**European green crab, *Carcinus maenas***



## *The threat of non-native organisms*

Non-native organisms are in the news. We hear about plants, animals and microbes from foreign places that have grown out of control. In our own backyard we know the impact of weedy species like Himalayan blackberries and English ivy. We see the exotic Scotch broom plant skirting our highways almost as fast as they are built. We read about the alien zebra mussel advancing into United States and Canadian waterways, encrusting everything in its path. And we wonder if deadly foreign pathogens might be lurking around every corner. How are these organisms spreading across continents and oceans? Why are some so aggressive once they get here?

### *What is “native”?*

Before we can consider the threat of non-native organisms we need to define "native." Native essentially means living in the place of origin. In this context, origin is considered in terms of thousands of years. A native organism lives within its natural or historical range and zone of dispersal. A non-native organism lives in a place it couldn't get to by itself or through natural dispersal (such as by wind, tides, currents, etc.).

In Washington state, we often define native plants and animals as those that were here before the arrival of European settlers in the late 1700s. Until then, the influx of new organisms was infrequent. For thousands of years native peoples lived side-by-side with native flora and fauna, their movement limited to distances traveled by foot and canoe. Organisms lived only where they spread to over time, restricted by characteristics of the environment and their generically-determined attributes.

### *Species interactions in natural systems*

Species evolve a by adapting to their local habitats. King salmon, Orca whales. Douglas fir and all forms of life sue know today are a result of a continuing process of interaction between their inherited traits and characteristics of their environment.

Adapting to manes stresses over thousands of years, native organisms develop unique relationships with both their physical environment and with other organisms around them. Ever wondered why native plants can be easy to grow? It's because they have adapted to local soil and weather conditions. As a result of their shared history, native vegetation attracts native species of butterflies, insects and birds. At the same time, native plants are subject to native predators, parasites and diseases that also share a part of their history.

In the marine environment, you only have to walk at low tide on any Pacific Northwest beach to see special associations among organisms. Native eelgrass, *Zostera marina*, provides the perfect nursery habitat for young fish, a substrate on which snails lay eggs, a home for Dungeness crab and a food source for brant geese. Mussels, oysters and barnacles may grow side-by-side and on top of each other, sharing and competing for the same spot on any hard surface.

### *Natural distribution*

Barriers determine where organisms lies and how ecosystems are created. Barriers prevent species from spreading into new locations and help determine their natural range.

## *Agricultural Introductions: A historian's perspective*

**"Agriculture as we know it in the U.S. would be impossible without introduced organisms.** American agriculture is based almost entirely upon introduced species. Of all the animals involved in U.S. agriculture today only the turkey, the Muscovy duck and (maybe) one type of chicken are native to the U.S. And of the plants that are cultivated as part of the agricultural system, corn (maize), potatoes, squash, sweet potatoes, some beans and some berries are native. Everything else is introduced including the honeybee brought by Englishmen in the 1640s in order to pollinate the fruit trees they were introducing ...

"The most beneficial introductions in American history have concerned land animals and plants and those have almost entirely been associated with agriculture. There are reasons why this is so. All of the animals and plants used in agriculture had been observed in use and in close proximity for millennia. Of course, the very term "beneficial" comes totally from a European perspective, for the agricultural species were the dynamic elements of the dramatic changes in environment that occurred after 1607, crowding out native species, changing the genetic mix, changing habitat from woodlands to fields, causing erosion, etc."

*Reprinted with the permission of William Steirer and South Carolina Sea Grant Consortium. Excerpted from Historical Perspectives on Exotic Species by William F. Steirer, Jr., Department of History, Clemson University in "Introductions and Transfers of Marine Species," 1991.*

A clam, for example, could not move from the Pacific to the Atlantic coast by itself, even though the habitat there may be suitable. The land would represent a *physical barrier*. Mountain ranges, oceans and deserts are examples of physical barriers that can limit the dispersal or range of particular species. In the case of small organisms, an outcropping of rocks on a sandy beach or even a tide pool may form the edge of their dispersal range. When a species' salinity, temperature and chemical requirements are not met in a new area, these too, become physical barriers.

If a current or a storm sweeps the same clam or an- of is tiny offspring to a new area, it might meet *biological barriers* in the form of unsuitable food and habitat, or the presence of pathogens, predators and competitors. So, even if that clam ended up in a sandy cove with perfect water temperature and plenty of plankton to eat, a resident population of sea stars could prevent it, and its offspring, from establishing a new home. Physical and biological barriers thus help determine the natural range of species and provide a foundation for ecosystems.

These barriers are not absolute. Natural systems are dynamic and species' ranges change over time, spreading or retracting as environmental conditions fluctuate and populations are influenced by food availability, predators, and disease. Populations will always push and pull against the edges of their range, but generally remain within proximity of their original

## Introduced species

Introduced species are those that have been transported beyond their natural range. It's easy to see how planting a non-native species such as a Mac-clam or a Japanese oyster on the coast of Puget Sound breaches both natural barriers and time scales. Instead of being members of an ecosystem developed over time, in the relative blink of an eye these animals were transported beyond the barriers that defied their natural range.

Once thrust into a new environment, an organism faces a whole new set of conditions. Whether moved intentionally or by accident, the new habitat challenges the organism to perish or persist. All living organisms strive to survive long enough to bear offspring and ensure the future of their gene pool. Next time you see aggressive non-native species on the move, consider that their aim is not to take over the world or make our lives miserable, but rather to simply survive and reproduce.

Scientists believe that most non-native organisms fail to survive in their new environment long enough to become established (a self-sustaining population). But occasionally the introduced organism will find its new home completely livable, sometimes even optimal. An introduced species can spread rapidly, for example, when a predator, and pathogens normally encountered in its home are absent from the new environment. In this situation, introduced species flourish and potentially can reach extraordinarily high population levels. This is often called an invasion. Invasive species, can inflict damage on ecosystems by outcompeting native species, preying on native species and/or dramatically altering habitat.

The Zebra mussel is a good example of an introduced species that is now extraordinarily abundant and has spread rapidly from its arrival point in the Great Lakes. A native of Eastern Europe, it probably entered North American waters via the ballast water of trans-Atlantic cargo ships. First identified in the United States in 1988, zebra mussels are now found throughout the Mis-

## Zebra mussel

The fingernail-sized zebra mussel (*Dreissena polymorpha*) is native to the Black, Caspian and Azov Seas. Colonizing London docks by the 1820s, it became the dominant freshwater species in Britain within a century. In the United States, the zebra mussel was first found in a small lake near Detroit in 1988. It has since spread from the Great Lakes to the Mississippi, Hudson, Susquehanna and Illinois river basins.

Armed with an ability to reproduce rapidly and produce large numbers of offspring, the zebra mussel can attach to any available substrate, including water pipes, intake screens, boats and buoys. Since 1989, power plants, water utility, industrial facilities, and navigation lock and dam operators have spent more than \$70 million trying to control and manage zebra mussel infestations. The fouling of boat hulls not only causes problems for owners, but provides a vector for introduction when the mussels attach to boats that are moved from infested to uninfested water systems.

In addition to the physical and economic impacts, zebra mussels severely alter habitat and affect native species. Washington state officials are on the lookout for recreational boats arriving from the Midwest carrying zebra mussels. Some biologists believe it is just a question of time before the zebra mussel arrives, but with diligence and education we may be able to keep our waterways free of zebra mussels.

For more information on the zebra mussel or to report a sighting in Washington, call the Washington Department of Fish and Wildlife at **360-902-2821**.

Or, visit these websites for national zebra mussel news:

<http://www.usbr.gov/zebra/wzmtf.html>

<http://www.nfrcg.gov>

<http://www.cecer.army.mil/facts/sheets/FLIO.html>

<http://www.mdsg.umd.edu:80/NSGO/research/nonindigenous/>

<http://www.seagrant.wisc.edu/Communications/Publications/ZMU/ZMU.html>



Mississippi River watershed, in 19 states and 2 Canadian provinces. The damage this invasive organism has caused is dramatic in both ecological and economic terms. There is great concern that the zebra mussel may soon become established in West Coast drainages.

The smooth cordgrass, *Spartina alterniflora*, first arrived in Washington state over 100 years ago. The cordgrass found the wide open mud flats of Willapa Bay devoid of competing vegetation, free from predators, and with ideal temperatures and conditions in which to thrive. In *Spartina's* home territory on the Atlantic seaboard, the cordgrass is a highly prized member of the salt marsh community and is an aid in erosion control. But on the West Coast, *Spartina* is radically changing the native ecosystem. Growing in clump, it spreads rapidly by both seed and an expansive root system to form new colonies. With each incoming tide, the grass traps sediment. Over time, what had been a marine mudflat is now transformed into high marsh. In Willapa Bay, Grays Harbor, Puget Sound, and other affected areas on the West Coast, citizens and resource managers recognize *Spartina* as a serious threat to local economies and ecosystems, and have responded by implementing a variety of control and management programs.

Not all introductions or invasions are as obvious as *Spartina* and the zebra mussel. Without displaying obvious impacts, some invaders can quietly alter ecosystems yet never command our attention. The tiny Asian copepod, *Pseudodiaptomus inopinus*, is a good example. In 1990, a fisheries researcher discovered that the non-native copepod had taken up residence in the lower Columbia River estuary. Further studies found it living in 10 other estuaries on the Pacific coast. The abundance of the new species suggested that it might become a food source for young salmon, much like our native copepods. What would happen if the salmon became dependent on this food source over the long run? Since these copepods may not be adapted to local conditions (weather, hydrodynamics), they may prove to be an unreliable substitute. A sudden decline in their population could leave salmon without an adequate food supply until or unless native copepod populations recover. Scientists are attempting to identify what role this new species will take within estuarine communities on the Pacific coast.

The zebra mussel, *Spartina* and the Asian copepod are just a few of the species transported by humans beyond their natural range. But why are they being moved and how are they getting here?

## Pathways

During the European age of exploration (mid-15th century onward), a naturalist's primary task was to "discover," document and return home with specimens representing every manner of foreign life. Later, when settlers came to the New World, they understandably wanted to bring with them the familiar plants and animals on which they relied for food, landscaping and pets. Today, as transportation becomes more sophisticated, we can enjoy fresh mangos from Mexico, Chilean-grown Atlantic salmon and Washington-grown Pacific oysters, while sitting in a garden planted with Mediterranean lavender and English roses.

Our ability to transport ourselves and our products around the planet is one of mankind's greatest achievements. This ability has brought with it the means for both intentional and unintentional



## Green Crab

The recent arrival of the European green crab, *Carcinus maenas*, on the West Coast of the United States is cause for great concern. An able colonizer and voracious predator, this small shore crab (adults measure about 3" across) has the potential to significantly alter any ecosystem it invades. Introduced to the Atlantic seaboard more than 150 years ago, there are now also established populations in Australia and South Africa. First seen in San Francisco Bay in 1989, the green crab has been moving southward to Monterey Bay and northward up the coast to Humboldt Bay, California. Researchers have recently seen the crab in Coos Bay, Oregon.

Since the green crab can prey, on juvenile crabs and shellfish, a northward spread to the Washington coast could put our Dungeness crab, clam and oyster fisheries at risk. In Maine, the green crab was blamed for the collapse of the soft-shell clam fishery. Known for their enormous appetites, one adult green crab can reportedly eat 40 half-inch clams each day and can devour crabs as large as themselves. They also prey on numerous other organisms which means they may compete for the same food sources as native fish and bird species.

The green crab is a capable invader. It can thrive in many types of coastal habitats and in wide ranges of temperature and salinity. It can survive up to 2 months out of water when sheltered under seaweed, and can produce up to 200,000 eggs at a time. The larvae can remain alive as plankton for up to 80 days which permits their natural dispersal in coastal currents. This trait in particular will make it difficult to prevent further spread of the green crab, although authorities in Oregon have taken immediate steps to prevent human-mediated transport.

Researchers are considering a variety of population control methods, including a recreational fishery. Although the crab is quite small, it is considered delicious.

of organisms. Most species used today in agriculture, aquaculture and horticulture were introduced intentionally. Bringing these species to new areas was considered a safe proposition, and their establishment was viewed as a success story—but a few surprises came along with them. Ships transporting cattle also carried rats and cockroaches. Shipments of live oysters came with oyster predators and diseases. The tumbleweed was just one of many species that arrived in grain shipments from overseas. Other intentional introductions gone awry include species originally intended for sport fishing, erosion control, horticulture and as biological controls for other introduced species.

Today, after decades of experience, there are laws governing the intentional introduction of non-native species. Most of these laws are designed to regulate the influx of land-based (terrestrial) organisms, primarily to protect human health and agricultural crops. In the freshwater environment, the once popular government practice of transplanting non-native species for recreational fishing has given way to strict regulations controlling such practices. In the marine environment we are just beginning to recognize the pathways that transport new species into our coastal and inland waterways. While aquaculture practices were once the primary pathway for aquatic introductions, they too are now highly regulated. Most recently, scientists have singled out ballast water discharged from ocean-going cargo ships as a primary pathway for introductions.

In the age of wooden-hulled ships a variety of wood-boring (shipworms, gribbles) and fouling (barnacles, mussels, seaweed) organisms were translocated between harbors around the world. Steel cargo vessels have replaced those ships. These vessels use large volumes of sea and fresh water as ballast to keep them stable and seaworthy-taking, on and discharging millions of tons of ballast water daily in ports and harbors around the world. From phytoplankton to fish, ballast water has been implicated in more than 100 introductions worldwide.

One example of an introduction attributed to ballast water is the jellyfish-like animal *Mnemiopsis leidyi*. This voracious plankton-feeder, a comb jelly native to the Atlantic coast of the Americas, was found in the Black and Azov seas in Eastern Europe in 1982. By 1989, its growth to invasive levels contributed to the collapse of local anchovy populations and their commercial fisheries.

*Invasive species can displace native species, dramatically change natural habitats, and can have profound impacts on the economy.*

It's not just the big commercial vessels that move organisms around. Recreational boaters transport nuisance species often without realizing it. Fragments of the aquatic weed *Eurasian watermilfoil*, tangled on boat propellers, trailers and fishing gear, can easily spread an infestation from lake to lake. Inspections by state resource agencies have uncovered live zebra mussels attached to recreational boats trailered in from other states. How do we know if one of these activities will result in an introduction? Can we predict which species will invade?



### ***Characteristics of bio-invasions***

A “successful” introduction is a result of a match between the needs of the introduced organism and its new environment. The factors that govern this pairing are complex, and not always obvious. From subtle shifts in temperature, the time of day or the number of individuals introduced, unlimited unique variables make it difficult to predict the outcome of an individual introduction. But for introduced organisms, those with flexible living requirements and high reproductive rates have an advantage. A perfect example is the European green crab, *Carcinus, maenas*.

This small crab can thrive in broad ranges of temperature, salinity, and habitats. Known to feed on a wide variety of plants and animals, this omnivore produces large numbers of offspring. It is aggressive when competing for food against other crabs and shrimp, and can drastically reduce native bivalve populations, such as the soft-shell clam along the coast of Maine. This type of organism can become established and proliferate in stable communities.

Organisms with more rigid requirements can also be introduced successfully and may become invasive. The key here is the receiving environment. Few competitors or predators and available habitat present an opportunity for entry into a community. For *Spartina*, the open mud flats of Willapa Bay represented such a situation.

## ***Habitat alteration: putting out the welcome mat***

When the environment of an existing system of species is modified or disturbed, such as a cleared forest or a polluted estuary, the opportunity for new species to move in is greater. This is one reason we see Scotch broom edging most major highways in British Columbia, Western Washington and Oregon. Once planted as an erosion control device, this aggressive species spreads quickly on cleared land. Notice that you rarely see it spreading from cleared roadway embankments into adjacent established forests.

It may be more difficult to identify disturbed habitats in aquatic environments. Oil spills, dredged harbors and seawalls are all examples of disturbed habitat. Imagine a river or harbor that has become increasingly polluted by chemical discharge. Chemically tolerant species begin to dominate the community, while those species that cannot survive leave an opening for more tolerant new arrivals. Tilapia is a non-native fish that can live in low-oxygen, high-temperature water often associated with industrial pollution. Thriving in an environment where native species cannot survive, it establishes a population and then spreads, to other areas, sometimes outcompeting native species.

Humans have the power to change whole systems quickly. Replacing a forest with a single crop, laying asphalt across an acre of wetland and joining two oceans with a ship canal are all examples of our technological strength. Of course there are natural forces that also dramatically alter habitats such as storms, floods and earthquakes. While we have no control over acts of nature, we can anticipate the impacts of our own activities and minimize the destruction and alteration of habitats.

## ***Homogenization: a species-poor world***

In 1958, Charles Elton published his classic chronicle on the ecology of invasions. He sounded the alarm on the human re-distribution of species, writing, "Man is carrying on and accelerating an interchange of species that was going on some 15 million years ago when some of the continents were joined again." Elton explained that the Isthmus of Panama was submerged repeatedly over the course of geologic time. When separated, North and South America were island continents, each with its own rich diversity of species. When the Isthmus re-emerged and the continents were re-united, interactions between species led to the loss of many species. The Pacific and Atlantic oceans also separated and rejoined, causing similar interaction between species. This mixing and the resulting reduction of total number of species occurred over millions of years. By building a canal or sailing a ship, humans can cause the same type of mixing between and reduction of species, but at a highly accelerated rate.

Elton warns that this continued breaching of barriers will leave us with a simpler, poorer world. As a by-product of our power, we have found ways to transcend natural time scales, to alter large expanses of habitat, and to break down and bridge barriers that would otherwise separate species. The richness of ecosystems that have evolved independently all over the world, previously contained by physical and biologic barriers, could ultimately give way to a homogenized world with fewer species. As species and habitats are lost, local economies can be threatened. For example, shellfisheries on the West Coast are threatened by *Spartina* cordgrass, and the decline and collapse of the soft-shelled clam industry in Maine can be attributed to the invasion of the European green crab. Changes brought by introduced species can lead to the loss of important nursery habitat for fish such as salmon.

As the total number of species declines, plants and animals that may be important food resources, that play a critical role in the food web, or that contain medicinal qualities may disappear. Surviving species will have fewer buffers against catastrophic fluctuations in the environment. If, for example, a fish species loses many or some of its food resources, any threat or damage to the remaining food resource can be far more detrimental to the fish because alternatives have been lost. Thus homogenization of habitats and species, can have far-reaching effects.

## ***What can you do?***

Non-native species introductions are a hot topic in the news because awareness is growing and action is being taken. Legislators are developing policies to prevent unintentional introductions; natural resource agencies are creating management plans to minimize and manage non-native species; and community groups are educating and involving people in activities at the local level. Even though the scales of time and space discussed here may seem overwhelming, you can make a difference. Each individual plays an important role in preventing the introduction and spread of unwanted non-native species. Here are some suggestions on how you can help.



- 1. Don't transport plants and animals when you travel or move without checking with local authorities.***
- 2. Never release pets, plants, or aquarium animals or plants into the wild.***
- 3. Look into the benefits of using native plants on your property. Contact your local Cooperative Extension.***
- 4. Be aware that while we cannot eliminate unintentional introductions, we can minimize them. Study the pathways for introductions and do your part to stop accidental release or movement of non-native species.***
- 5. Teach your children about the richness of ecosystems. Explain that plants, animals and microbes all live as part of a larger system. One cannot be affected without impact on another.***
- 6. Be aware of legislation and government programs that address intentional and accidental introductions of non-indigenous species.***
- 6. Participate in community groups designed to restore habitat, survey, remove and report sightings of invasive species.***
- 7. Keep in mind that eradication of established non-natives is usually impossible. Preventing introductions is possible if we all do our part.***

# ***Partial list of non-native aquatic species in Washington state and British Columbia***

The following is a partial list of introduced species with established populations in Washington and British Columbia. Some were introduced intentionally, such as game fish and aquaculture species, while others came as a result of unintentional release, such as in ballast discharge or disposal of packing materials. A number of these introduced species are considered beneficial, but many are classified as nuisance species. In all cases, we can be sure that these introductions have had some influence on the ecosystem in which they now live. This list includes fish living in fresh, brackish, and marine water habitats.

## **Invertebrates**

Varnish or mahogany clam *Nuttallia obscurata*  
Manila clam *Tapes philippinarum*  
Asian clam *Corbicula fluminea*  
Soft-shell clam *Mya arenaria*  
Japanese trapezium *Trapezium liratum*  
Japanese littleneck clam *Venerupis philippinarum*  
Pacific oyster *Crassostrea gigas*  
Eastern oyster† *Crassostrea virginica*  
Japanese or green mussel *Musculista senhousia*  
Slipper shell *Crepidula fornicata*  
Mud snail *Nassarius obsoletus*/*Ilyanassa obsoleta*  
Eastern oyster drill *Urosalpinx cinerea*  
Japanese oyster drill *Ceratostoma inornatum*  
Red beard sponge *Microciona prolifera*  
Boring sponge *Cliona spp.*  
Bowerbank's halichondria *Halichondria bowerbanki*  
Asian copepod\* *Pseudodiaptomus inopinus*  
Bivalve intestinal copepod *Mytilicola orientalis*  
Mud worm *Polydora ligni*  
Wood-boring gribble *Limnoria tripunctata*  
Shipworm *Teredo navalis*

## **Fish**

American shad *Alosa sapidissima*  
Grass carp\* *Ctenopharyngodon idella*  
Striped bass *Morone saxatilis*  
Common carp *Cyprinus carpio*  
Goldfish *Carassius auratus*  
Largemouth Bass *Micropterus salmoides*  
Smallmouth Bass *Micropterus dolomieu*  
Bluegill\*, Green Sunfish\*, Pumpkinseed Sunfish *Lepomis spp.*  
Black Crappie, White Crappie\* *Pomoxis spp.*  
Walleye *Stizostedion vitreum*  
Yellow Perch *Perca flavescens*  
Channel Catfish, Blue Catfish *Ictalurus spp.\**  
Flathead Catfish\*, *Pylodictis olivaris*  
Black Catfish, Brown Catfish†  
Brown Bullhead, Yellow Bullhead\*, Black Bullhead\* *Ictalurus spp.*  
Northern Pike, Tiger Musky\*, *Esox spp.*

## **Aquatic Plants**

Brown alga or Japanese weed *Sargassum muticum*  
Japanese eel grass *Zostera japonica*  
*Lomentaria hakodatensis*  
Purple Loosestrife *Lythrum salicaria*  
Brazilian Elodea\* *Egeria densa*  
Parrotfeather Milfoil\* *Myriophyllum aquaticum*  
Fanwort\* *Cabomba caroliniana*  
Eurasian Watermilfoil *Myriophyllum spicatum*  
Hydrilla\* *Hydrilla verticillata*  
Spartina/Cordgrasses\* *Spartina alterniflora, anglica, patens*  
Yellow Iris *Iris pseudacorus*  
Agar weed† *Gelidium vagum*

\* not established in B.C.

† not established in Washington State

## *Pathways of non-native aquatic introductions*

**Aquaculture:** Historically, culture of fin fish and shellfish was a primary path for both intentional and unintentional introductions. Culture of the non-native Pacific oyster has contributed to Washington state's status as one of the nation's top three leading oyster producers. Imports of oyster spat early in the century brought several unwanted species introductions such as the oyster drill. In addition, cultured non-native species can escape from captivity, such as Atlantic salmon that escape from net pens.

**Aquarium trade:** Wholesale importers, culture facilities and retail pet stores culture, transport, and sell non-native fresh and salt water plants, fish and invertebrates. The intentional and unintentional release or escape of species into the wild by the industry and the hobbyist aquarium owner has led to introductions. The common goldfish, for example, has become a nuisance species in eastern Washington.

**Biological control:** Selected non-native species, usually target predators, have been intentionally introduced to control the growth and spread of other introduced species. History shows that achieving the desired effect is difficult. Grass carp introduced to control unwanted aquatic plants in inland lakes resulted in native plant species being decimated.

**Channels, canals, locks:** The building of channels, canals and locks creates artificial connections between waterways, allowing the free movement of species across physical barriers. It also facilitates the transport of species by vessels.

**Live bait:** Commercially-sold live worms and other aquatic organisms for the recreational fishing industry, both the bait species and its packing material, can result in introductions through intentional and unintentional release.

**Nursery industry:** Nurseries, garden centers and mail-order catalogs sell non-native plants for aquatic gardens and ponds. Individuals discard non-native plants in public waterways. Non-native plants are sometimes accidentally attached to other horticultural species and discarded unintentionally or intentionally.

**Scientific research institutions, schools and public aquariums:** Private and public research laboratories, schools and aquariums use non-native species for testing, teaching and research. Individuals who do not follow strict protocols for animal management may accidentally release specimens. Accidental release may also occur when those protocols do not exist. Intentional release and escape from confinement are also possible.

**Ships and boats:** Ships and boats can introduce organisms through ballast discharge and haul fouling. Ballast water can contain aquatic plants, animals and pathogens. Scientists consider ballast water discharge a major pathway for aquatic introductions because of the huge volume of water carried as ballast. This water carries millions of single-celled and larger organisms. Fouling of vessel hulls by encrusting organisms also provides a mechanism for transport of species. Recreational boats and boat trailers transport nuisance species including Eurasian watermilfoil and zebra mussels. Aquatic plants, in particular, are easily transported when plant fragments get tangled on boat propellers and fishing gear.

**Recreational fisheries enhancement:** U.S. federal and state agencies imported 19 game fish species into Washington state between 1890 and 1980, introducing them to enhance recreational fishing. While most of these introductions were intentional, there were accidental releases and the unplanned spread of some species as a by-product of this activity. Private citizens also have transported and released their favorite fish or shellfish species into a body of water, hoping a viable population survives.

**Restaurants, seafood retail and processing:** Shipment of live seafood, such as East Coast lobsters, provide an opportunity for species introductions when individuals dispose of unused product, packing materials, and shipping containers improperly. Associated live organisms either in or on the product may pose an additional threat. Packing materials such as seaweed and seawater also contain a number of living organisms

## ***Policy response to non-native aquatic introductions***

Biological boundaries and ecosystems have little to do with political borders. Therefore, governing species introductions is at the same time an international, national, state and local concern. For example, who has jurisdiction over ships entering Washington state or British Columbia waterways with foreign ballast water: Clearly, regulating shipping is an international issue, and the United States and Canadian governments have power over international commerce. But the state or local communities may have the most to lose in terms of impacts from non-native introductions. The result of overlapping interests is usually a multi-layered process requiring representation and coordination. Unfortunately, policy activity relating to species introductions has generally been in response to specific problems or events that have already occurred. This reactive approach, in combination with inherent jurisdictional problems, has resulted in a less-than-comprehensive policy approach.

The U.S. Congress, Office of Technology Assessment, concluded in its 1993 report "*Harmful Non-Indigenous Species, in the U.S.*," that, "First, the Nation has no real national policy on harmful introductions; the current system is piecemeal, lacking adequate rigor and comprehensiveness. Second, many Federal and State statutes, regulations and programs are not keeping pace with new and spreading non-indigenous pests." Yet interest in the subject has never been greater, as evidenced by the Congressional request for this study and the recent passage of legislation on aquatic introductions.

Canadian federal officials also point to large gaps in Canadian regulations. The federal government is redrafting its national policy on introductions and transfers of all species of fish, invertebrates, sea mammals, and marine plant to make it more all-encompassing. For the first time, it will include ornamental and aquarium species. The Fish Transplant Committee is currently conducting a review of the Pacific Fisheries Regulations to address some these areas of concern, including the international importation of species, the lack of adequate training of Canadian Customs' enforcement staff, and adequate provincial border staff to check shipments of live aquatic animals from other provinces.

The following briefly- identifies selected policy activity relating to non-native specie introductions in the United States and Canada.

### **International:**

*"Guidelines for the Control and Management of Ships' Ballast Water to Minimize the Transfer of Harmful Aquatic Organisms and Pathogens" Resolution A.868(20)-Nov. 20, 1997*

Developed by the International Maritime Organization (an agency of the United Nations). These guidelines, which outline techniques for minimizing introductions from cargo ship ballast discharge, are expected to become part of the International Convention for the Prevention of Pollution from Ships (MARPOL). This would require the U.S. Congress to enact legislation detailed in the guidelines. Canada has supported the development of the guidelines and encourages shipping companies to adopt them. Canada also supports the efforts to move the guidelines to mandatory requirements by the year 2000.

*"International Council for the Exploration of the Sea (ICES) Code of Practice Concerning Introduction and Transfer of Marine Species":*

A regulatory framework for member states to use in managing the introduction of non-native species. This Code of Practice is continually modified to incorporate new scientific knowledge. Canada's new draft National Policy on Introductions and Transplants draws heavily from the ICES Code of Practice.

*Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES):*

Developed by the United Nations, signed by the U.S. in 1975. Designed to restrict trade in listed species to protect depletion in the habitat of origin.

*The International Plant Protection Convention (IPPC):*

Developed by the United Nations, signed by the U.S. in 1972 with 94 other countries. Designed to prevent the introduction and spread of agricultural pests.

## **U.S. Federal**

*National Invasive Species Act of 1996:*

Reauthorizes and amends the *Non-Indigenous Aquatic Nuisance Prevention and Control Act of 1990*. Requires the U.S. Coast Guard to issue voluntary national ballast water management guidelines within one Year. If compliance is insufficient after three years, the guidelines could become mandatory. Also establishes a ballast research program.

*Executive Order 11987:*

Prohibits federal agencies or federally funded activities from importing or exporting non-native organisms.

*Title 50, US. Code of Federal Regulations 58976-58981, 1993:*

Enforced by U.S. Fish and Wildlife Service, Dept. of Interior prohibiting importation of specific disease agents of salmonid fish.

*Federal Noxious Weed Act of 1974 (amended 1990), Federal Plant Pest Act (1957) and Plant Quarantine Act (1912):*

Gives the U.S. Department of Agriculture the authority to regulate the movement of plants, plant products, plant pests and their vectors. Also regulates the introduction of genetically engineered organisms.

*Lacey Act of 1900 (revised 1981):*

Regulates the importation of certain listed animal species.

## **State of Washington**

*Revised Code of Washington (RCW) 75:*

Gives the Washington Department of Fish and Wildlife authority over various activities relating to aquaculture including transfer, importing and exporting of aquatic species.

*State Noxious Weed Law-Revised Code of Washington (RCW) 17.10:*

Gives Washington State Department of Agriculture authority over plants identified as destructive to agricultural and natural resources.

*Washington Administrative Code (WAC)*

*220-77:*

Relates to disease control of plant and animal aquaculture species.

*Washington Administrative Code (WAC)*

*232-12:*

Allows the Washington Department of Fish and Wildlife to take action to prevent introduction and spread of the zebra mussel. Outlaws the intentional import of zebra mussels except for scientific research purposes.

*State Environmental Protection Act (SEPA):*

Non-native species selected for importation are subject for review to assess environmental impacts.

*“Spartina” Bill, 1995-SB 5633:*

Authorizes the Washington Department of Agriculture to coordinate a state-wide control program for *Spartina* species.

*“Zebra Mussel and Green Crab” Bill, 1998-SB 6114:*

Directs the Washington Department of Fish and Wildlife to convene a zebra mussel and green crab task force to make recommendations on prevention and control methods to the legislature by December, 1998. Also directs WDFW to prepare, maintain and publish information on the location of zebra mussel and green crab populations.

## **Canadian Federal**

### *Canada Shipping Act:*

Regulates shipping industry, including discharge of certain toxic substances, but does not regulate release of non-indigenous species. Ballast water restrictions are only in place for situations in which the ballast water may be contaminated with oil or other chemical residues.

### *Canada Fisheries Act (General Regulation Section 55 and 56):*

Prohibits the release of live fish into any fish habitat or transfer of live fish into any fish-rearing facilities without a license issued by the Minister. Also pertains to invertebrates, but excludes aquatic plants.

### *Pacific Fishery Regulations (PFR), 1993 Section 5:*

Requires approval of introduction of certain species of fish. Listed species must be imported only into inspected and approved quarantine facilities.

### *Pacific Fishery Regulation 1993, made under the Fisheries Act, Section 5:*

Prohibits the importation of specified live fish species (Schedule VII-Prohibited Import Live Fish). The list includes 54 genera and species of fish and invertebrates, including lamprey eel, *Tilapia spp.*, carp (*Cyprinus carpio*) and shad.

### *Canadian Fish Health Protection Regulations:*

Promulgated under the Fisheries Act, requires a permit for live eggs and fish of cultured salmonids, dead cultured salmonids and eggs of wild salmonids, imported to Canada or transferred between provinces.

## **Canadian Provincial**

### *The Wildlife Act:*

Gives the Minister authority to create regulations to ensure protection of indigenous species of mammals, fish and invertebrates, and their habitat. Makes it an offense to possess, transport or traffic in live freshwater finfish without a permit. Goldfish and ornamental tropical fish are exempt.

### *Provincial Wildlife Act (BC Reg 261/83):*

Made under the wildlife Act, these regulations deal with freshwater fishes and lampreys only.

### *Provincial Fisheries Act (PFR), Section 8 and 9:*

Regulates practices pertaining to live oysters. Excludes tropical and ornamental fish from permit requirement, as well as marine fish species, invertebrates, and plants.

### *Aquaculture Regulations:*

Made under the PFR, these regulations govern all aquaculture in the province, including provisions for the safe distribution of fish products.

### *Freshwater Fish Regulations:*

Requires a permit for possession, transport or traffic in specific freshwater fish species. Pertains to lampreys and bony fish, including eggs and juvenile stages, but excludes goldfish and ornamental tropical fish.

### *Fish Transplant Committee (BC):*

Federal-Provincial committee consisting of members from the Ministry of Agriculture, Fish and Food (MAFF), the BC Ministry of Environment, Lands and Parks (MELP), and the Dept. of Fisheries and Oceans, Canada. Considers applications for non-native and native fish and invertebrate transfers into and within B.C. Currently reviewing PFR.

### *BC Animal Disease Control Regulations:*

Develops response plans for escaped stock and disease outbreaks.

### *Port of Vancouver:*

In the process of developing a voluntary ballast water exchange program.

## *Glossary*

**adaptation:** The process by which a group of organisms becomes more suited to its environment, or the distinctive trait which helps achieve the same.

**bio-invasion:** From "biological invasion," refers to the unplanned growth of a population of non-native species, usually considered detrimental.

**biological barrier:** Ecological obstacle that prevents a particular population from expanding its range. Examples include lack of food, habitat, the presence of predators, and pathogens.

**biological controls:** Using natural enemies of a particular species, usually predators and pathogens, to control population.

**disturbed environment:** Alteration of part or all of a living community due to natural or human-induced actions. Storms, hurricane and El Niños are examples of natural events; pollution, dredging and plowing are examples of human-mediated events.

**ecosystem:** All organisms in a community and the associated non-living environmental factors with which they interact.

**established:** A population of introduced species that has attained a self-sustaining level in a given area.

**habitat:** The surroundings in which individuals of a particular species usually live.

**introduction:** The process by which a non-native organism is transported and released into an area previously uninhabited by it. Also general term referring to non-native species.

**invasion:** The dramatic increase in the number of individuals in a non-native population, accompanied by an expansion of range.

**non-native:** An organism living beyond its natural or historical range of distribution. Other terms commonly used are *introduced*, *alien*, *exotic*, and *non-indigenous*.

**pathogen:** A disease-causing agent, including bacteria and viruses and fungi, usually microscopic in size.

**physical barrier:** Physical obstacle that prevents a particular population from expanding its range. Examples include oceans, mountains, deserts as well as temperature and chemical limitations.

**species:** The classification for a group of organisms that is distinct from other such groups. Breeding within the group will produce fertile offspring.

## ***Further Reading***

### **Books**

*The Ecology of Invasions by Animals and Plants*, Charles S. Elton, 1958, Methuen and Co. LTD, London, 181 pp.

*Introductions and Transfers of Marine Species*, Proceedings of the Conference and Workshop, 1992, South Carolina Sea Grant Consortium, 191 pp.

*Stemming the Tide: Controlling Introduction of Non-Indigenous Species in Ship' Ballast Water*, National Research Council, 1996, National Academe Press, Washington D.C., 141 pp.

*Biological Invasions*, M. Williamson, 1996, Chapman & Hall. London, 244 pp.

### **Periodicals**

*ANS Digest*, Freshwater Foundation, Nazarre, MN 55391.

### **Reports/Articles**

*The Aliens Have Landed*, Coastal Heritage, Volume 11, No. 4, Spring 1997, South Carolina Sea Grant Consortium.

*Pathways and Management of Marine Non-Indigenous Species in the Shared Waters of British Columbia and Washington*, Ralph Elston, Ph.D., Environmental Report Series, No. 5, Puget Sound/Georgia Basin International Task Force, March 1997.

*Harmful Non-Indigenous Species in the United States*, Office of Technology Assessment report #OTA-F-565, NTS # PB94-107679 1993, 391 pp.

*Non-Indigenous Estuarine and Marine Organisms (NEMO)*, Proceedings of the Conference and Workshop, U.S. Dept. of Commerce/NOAA, Sept. 1994, 125 pp.

### **Brochures**

*Biological Invasions*, Great Lakes Panel on Aquatic Nuisance Species, August 1996.

### **Videos**

*Alien Ocean*, 1997, Maryland Sea Grant College, University of Maryland, College Park, Maryland, 30 min.

## *For more information*

### **U.S. National**

National Aquatic Nuisance Species Task force  
Bob Peoples, Executive Director  
703-358-2025

U.S. Fish and Wildlife Service  
Hannibal Bolton, Chief of Management Assistance  
703-358-1718  
Region 1 Non-Indigenous Coordinator  
503-872-2763

National Oceanic and Atmospheric Administration  
Bill Archambault, Environmental Protection Specialist  
202-482-5181

U.S. Department of Agriculture  
Animal and Plant Health Inspection Service  
Sally McCammon, Science Advisor to the Administrator  
202-720-8014

Plant Protection and Quarantine Programs  
Sea-Tac Airport 206-244-4244  
Plant Health Director 206-764-3182  
Seattle Maritime Office 206-764-3188  
Seattle Plant Inspection Station 206-764-6547

U.S. Coast Guard 13th District/Marine Safety Office for Puget Sound  
206-217-6200  
Marine Safety Division 206-220-7210

U.S. Environmental Protection Agency  
John Armstrong, Senior Scientist  
206-553-1368; [Armstrong.john@epamail.epa.gov](mailto:Armstrong.john@epamail.epa.gov)

Bureau of Reclamation  
<http://www.usbr.gov/zebra/wzmtf.html>

National Biological Service  
Florida and Caribbean Science Center  
Amy Benson  
352-378-8181; <http://www.nfrcf.gov/nas>

National Zebra Mussel and Aquatic Nuisance Species Clearinghouse  
New York Sea Grant  
Charles O'Neil, Jr.  
716-395-2638

Zebra Mussel Information  
Training packet, video and instructor notebook  
Minnesota Sea Grant  
Doug Jensen  
218-726-8712; [djensen@mes.umn.edu](mailto:djensen@mes.umn.edu)

### **State of Washington**

Washington Sea Grant Program  
Andrea Copping, Assistant Director  
206-543-6600; [acopping@u.washington.edu](mailto:acopping@u.washington.edu)

Washington Department of Fish and Wildlife  
Aquatic Nuisance Species Coordinator  
360-902-2724  
Mary Lou Mills, Marine Ecosystems Resource Manager  
360-902-2834; [millsmlm@dfw.wa.gov](mailto:millsmlm@dfw.wa.gov)

Washington Department of Agriculture  
Pest Control Hotline 1-800-443-6684  
Linda Polzin, Plant Protection Program Manager  
360-902-2071  
Greg Haubrich, Noxious Weed Program  
509-576-3039; [glaubrich@agr.wa.gov](mailto:glaubrich@agr.wa.gov)  
Wendy Sue Bishop, Spartina Control Coordinator  
360-902-1853; [wbishop@agr.wa.gov](mailto:wbishop@agr.wa.gov)

Washington Department of Ecology  
website: [www.wa.gov/ecology/wq/plants/aquahome.html](http://www.wa.gov/ecology/wq/plants/aquahome.html)  
Kathy Hamel, Aquatic Plant Specialist  
360-407-6562; [kham461@ecy.wa.gov](mailto:kham461@ecy.wa.gov)  
Jenifer Parson, Aquatic Botanist  
360-407-6679; [jenp461@ecy.wa.gov](mailto:jenp461@ecy.wa.gov)  
Kirk Smith, Lakes Coordinator  
360-407-6680; [ksmi461@ecy.wa.gov](mailto:ksmi461@ecy.wa.gov)

Washington State Noxious Weed Control Board  
(call your county weed board, or)  
Lisa Lantz, Executive Secretary  
253-872-2972; [llantz@agr.wa.gov](mailto:llantz@agr.wa.gov)  
Bridget Simon, Education Specialist  
253-872-2318; [bsimon@agr.wa.gov](mailto:bsimon@agr.wa.gov)

Washington Cooperative Extension Program  
(call your extension office listed under county Cooperative Extension)  
Washington State University 509-335-2930  
King County 206-296-3900  
Pacific Northwest Gardening Homepage  
<http://www.nwgardening.com/index.html>

Puget Sound Water Quality Action Team  
Scott Redman, PSAMP Science Coordinator  
360-407-7315 or toll free 1-800-54-SOUND; [sredman@psat.wa.gov](mailto:sredman@psat.wa.gov)

Adopt-a-Beach  
206-632-1390 or toll free 1-888-57-BEACH; [aab@halcyon.com](mailto:aab@halcyon.com)

## Government of Canada

Department of Fisheries and Oceans (DFO)  
Aquaculture and Habitat Science, Biological Sciences Directorate  
Iola M. Price, Director, Ontario  
613-990-0275; [pricei@dfo-mpo.gc.ca](mailto:pricei@dfo-mpo.gc.ca)

BC Working Group on Non-Indigenous Species, DFO  
Colin Levings, Dept. Head, Coastal and Marine Habitat Science, B.C.  
604-924-2549; [levingsc@dfo-mpo.gc.ca](mailto:levingsc@dfo-mpo.gc.ca)

International Science Cooperation, DFO  
Ann Thompson, Coordinator, B.C.  
250-756-7260

Coastal and Marine Habitat Science, DFO  
Glen Jamieson, Research Scientist, Pacific Biological Station, B.C.  
250-756-7223; [jamiesong@dfo-mpo.gc.ca](mailto:jamiesong@dfo-mpo.gc.ca)

Federal-Provincial Transplant Committee, DFO  
Dorothee Kieser, Fish Disease Pathologist, Aquaculture Division  
250-756-7069; [kieserd@dfo-mpa.gc.ca](mailto:kieserd@dfo-mpa.gc.ca)

Canadian Food Inspection Agency  
Don Olsen  
604-666-8900

## Government of British Columbia

B.C. Ministry of Agriculture Fisheries and Food  
Gary Caine, Federal- Provincial Transplant Committee  
250-897-7545; [gcaine@galaxy.gov.bc.ca](mailto:gcaine@galaxy.gov.bc.ca)

B.C. Ministry of Environment, Lands and Parks  
Jordan Rosenfeld, Biologist  
604-660-1812; [rosenfe@ubc.env.gov.bc.ca](mailto:rosenfe@ubc.env.gov.bc.ca)

B.C. Ministry of Environment Lands and Parks  
Laura Friis, Biologist, Wildlife Branch  
250-387-9755; [lfriis@fwdept.env.gov.bc.ca](mailto:lfriis@fwdept.env.gov.bc.ca)

B.C. Shellfish Growers Association  
David Mitchell, Director  
250-248-6609; [dmitchel@island.net](mailto:dmitchel@island.net)

B.C. Salmon Farmers' Association  
Greg D'Avignon, Executive Director  
604-682-3077; [davignon@bcsalmonfarms.bc.ca](mailto:davignon@bcsalmonfarms.bc.ca)

Vancouver Port Corporation  
John Jordan, Manager, Environmental Affairs  
604-666-4742; [john.Jordan@portvancouver.com](mailto:john.Jordan@portvancouver.com)



This publication is available from:

Washington Sea Grant Program  
3716 Brooklyn Avenue NE, Seattle, WA 98105  
206-543-6600 • [www.wsg.washington.edu](http://www.wsg.washington.edu)

Ann Thompson  
Fisheries and Oceans Canada  
Aquatic Assessment Section, Pacific Biological Station  
Hammond Bay Road, Nanaimo, BC V9R 5K6  
250-756-7260

WSG 98-01